



**ANCHORS & FASTENERS**

DEWALT  
 701 East Joppa Road  
 Towson, MD 21286  
 P: (800) 524-3244  
 anchors.DEWALT.com

4/22/2022

**RE: DEWALT UltraCon®+ Anchor Replacement Option for Elco UltraCon® Anchor**

To Whom It May Concern:

The DEWALT UltraCon+ screw anchor is now available for consideration as a direct replacement option for the Elco UltraCon screw-anchor in concrete and masonry applications. Elco has been part of the GTS division of Stanley Black & Decker since 2012. As part of recent upgrades to the Elco UltraCon line of concrete screw anchors, the decision was made to transition the line of product to the DEWALT UltraCon+ brand.

The DEWALT UltraCon+ is a one piece, small-diameter screw anchor available in 3/16" and 1/4" diameters and all current head styles offered by the original Elco UltraCon. It is similar in appearance to the Elco UltraCon but is now identified with a length code and a "D+" stamped on the screw head, replacing the original flag symbol. The DEWALT UltraCon+ finish and color are similar to the Elco UltraCon, with Stalgard coating available in blue, silver, white and bronze color offerings. The DEWALT 5/16" diameter UltraCon remains mostly unchanged from the Elco 5/16" UltraCon, except for an updated headstamp including a length code and a "D5" head stamp replacing the original flag symbol.

In many concrete and masonry applications, the DEWALT UltraCon+ screw anchor has equivalent or higher published load values compared to the Elco UltraCon screw-anchor product. The DEWALT UltraCon+ also has ICC-ES building and residential code approvals for concrete (ESR-3068), masonry (ESR-3196), wood (ESR-3042) and chemically treated wood (ESR-3213) as well as recognition for the State of Florida (FL-29068) and with Miami-Dade County (NOA No. 21-0113.01). These approvals include comparative or better data at similar spacing and edge conditions, as well as new data at spacing and edge conditions not currently offered by Elco UltraCon. Please refer to the below tables for performance comparisons:

| 3/16" Diameter: DeWALT UltraCon+ compared to Elco UltraCon |               |                  |           |                 |           |                 |           | 1/4" Diameter: DeWALT UltraCon+ compared to Elco UltraCon |               |                  |           |                |           |                 |           |
|--|---------------|------------------|-----------|-----------------|-----------|-----------------|-----------|---|---------------|------------------|-----------|----------------|-----------|-----------------|-----------|
|  |               |                  |           | Allowable Loads |           | Allowable Loads |           |   |               |                  |           | Allowable Load |           | Allowable Loads |           |
|  |               |                  |           | UltraCon+       |           | UltraCon        |           |   |               |                  |           | UltraCon+      |           | UltraCon        |           |
|  | Edge distance | Spacing distance | Embedment | Tension lbf     | Shear lbf | Tension lbf     | Shear lbf |   | Edge distance | Spacing distance | Embedment | Tension lbf    | Shear lbf | Tension lbf     | Shear lbf |
| Concrete<br>3000 psi                                       | 2 1/2"        | 1 1/8"           | 1 3/4"    | 385             | 315       | 315             | 175       | Concrete<br>3000 psi                                      | 2 1/2"        | 1 1/2"           | 1 3/4"    | 590            | 425       | 455             | 315       |
|  |               | 2 1/4"           | 1 3/4"    | 385             | 315       | 315             | 175       |   |               | 3"               | 1 3/4"    | 590            | 435       | 465             | 390       |
|  |               | 3"               | 1"        | 150             | 165       | 110             | 155       |   |               | 4"               | 1"        | 215            | 335       | 200             | 285       |
|  |               |                  | 1 3/8"    | 300             | 190       | 185             | 195       |   |               |                  | 1 3/8"    | 470            | 435       | 375             | 395       |
|  |               | 3 3/8"           | 1 3/4"    | 385             | 315       | -               | -         |   |               | 1 3/4"           | 615       | 435            | 475       | 445             |           |
| Hollow<br>Block  | 1"            | 1 1/2"           | 1 1/4"    | 145             | 80        | -               | -         | Hollow Block  | 1"            | 1 1/2"           | 1 1/4"    | 155            | 95        | -               | -         |
|  |               | 3"               | 1 1/4"    | 150             | 115       | -               | -         |   |               | 3"               | 1 1/4"    | 155            | 160       | -               | -         |
|  | 2 1/2"        | 1 1/8"           | 1 1/4"    | 155             | 185       | 85              | 75        | 2 1/2"  | 1 1/2"        | 1 1/4"           | 160       | 240            | 140       | 100             |           |
|  |               | 2 1/4"           | 1 1/4"    | 155             | 185       | 85              | 115       |   | 3"            | 1 1/4"           | 175       | 290            | 140       | 150             |           |
| Grouted<br>block   | 1"            | 1 1/2"           | 1 3/4"    | 195             | 85        | -               | -         | Grouted block   | 1"            | 1 1/2"           | 1 3/4"    | 370            | 100       | -               | -         |
|  |               | 3 3/8"           | 1 3/4"    | 280             | 85        | -               | -         |   |               | 4"               | 1 3/4"    | 370            | 205       | -               | -         |
|  |               | 4 1/2"           | 2 1/4"    | 415             | 150       | -               | -         |   | 2 1/2"        | 4"               | 1 3/4"    | 395            | 290       | 230             | 250       |
|  | 3 3/8"        | 1 3/4"           | 280       | 220             | -         | -               | 4"        | 2 1/4"  |               | 625              | 315       | -              | -         |                 |           |
|  | 3 9/16"       | 1 3/4"           | 295       | 250             | -         | -               | 4 1/2"    | 2 1/4"  |               | 625              | 330       | 410            | 250       |                 |           |
|  | 2 1/2"        | 4 1/2"           | 2 1/4"    | 415             | 250       | 220             | 195       |   |               |                  |           |                |           |                 |           |

**Head Marking**

Hex Washer Head



Philips Flat Head




TrimFit Flat Head



Hex Flange Head




Legend  
 'D' Marking = UltraCon+  
 '+' Symbol = Strength Design Compliant Anchor  
 'C' Mark = Length Identification Mark  
 '•' Mark = TrimFit Flat Head Identification


**UltraCon+ Length Code Identification System**

| Length ID marking on head                |                         | □      | A      | B      | C      | D      | E      | F      | G      | H      | I      | J      |
|--|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Overall anchor length<br>Length (inches) | From                    | 1"     | 1-1/2" | 2"     | 2-1/2" | 3"     | 3-1/2" | 4"     | 4-1/2" | 5"     | 5-1/2" | 6"     |
|  | Up to but not including | 1-1/2" | 2"     | 2-1/2" | 3"     | 3-1/2" | 4"     | 4-1/2" | 5"     | 5-1/2" | 6"     | 6-1/2" |

Packaging: Original Elco UltraCon (left) vs DEWALT UltraCon+ (right)



Our technical services department is available to answer any additional questions, our team can be contacted at (800) 524-3244 or [anchors@DEWALT.com](mailto:anchors@DEWALT.com)

See the attached pages for a crossover list of part numbers (aka SKU's) with descriptions for the DEWALT UltraCon+ and Elco UltraCon screw-anchors.

| DEWALT ULTRACON+ SKU | Description                 | Color | Head Style    | Material     | ELCO ULTRACON SKU |
|----------------------|-----------------------------|-------|---------------|--------------|-------------------|
| DFM12700             | UltraCon®+ HWH 3/16 X 1-1/4 | Blue  | Hex Washer    | Carbon Steel | ELE300-100        |
| DFM12700B            | UltraCon®+ HWH 3/16 X 1-1/4 | Blue  | Hex Washer    | Carbon Steel | ELE300            |
| DFM12702             | UltraCon®+ HWH 3/16 X 1-3/4 | Blue  | Hex Washer    | Carbon Steel | ELE310-100        |
| DFM12702B            | UltraCon®+ HWH 3/16 X 1-3/4 | Blue  | Hex Washer    | Carbon Steel | ELE310            |
| DFM12704             | UltraCon®+ HWH 3/16 X 2-1/4 | Blue  | Hex Washer    | Carbon Steel | ELE320-100        |
| DFM12704B            | UltraCon®+ HWH 3/16 X 2-1/4 | Blue  | Hex Washer    | Carbon Steel | ELE320            |
| DFM12706             | UltraCon®+ HWH 3/16 X 2-3/4 | Blue  | Hex Washer    | Carbon Steel | ELE330-100        |
| DFM12706B            | UltraCon®+ HWH 3/16 X 2-3/4 | Blue  | Hex Washer    | Carbon Steel | ELE330            |
| DFM12708             | UltraCon®+ HWH 3/16 X 3-1/4 | Blue  | Hex Washer    | Carbon Steel | ELE340-100        |
| DFM12708B            | UltraCon®+ HWH 3/16 X 3-1/4 | Blue  | Hex Washer    | Carbon Steel | ELE340            |
| DFM12710             | UltraCon®+ HWH 3/16 X 3-3/4 | Blue  | Hex Washer    | Carbon Steel | ELE350-100        |
| DFM12710B            | UltraCon®+ HWH 3/16 X 3-3/4 | Blue  | Hex Washer    | Carbon Steel | ELE350            |
| DFM12712             | UltraCon®+ HWH 3/16 X 4     | Blue  | Hex Washer    | Carbon Steel | ELE360-100        |
| DFM12712B            | UltraCon®+ HWH 3/16 X 4     | Blue  | Hex Washer    | Carbon Steel | ELE360            |
| DFM12715             | UltraCon®+ HWH 1/4 X 1      | Blue  | Hex Washer    | Carbon Steel | ELE400            |
| DFM12720             | UltraCon®+ HWH 1/4 X 1-1/4  | Blue  | Hex Washer    | Carbon Steel | ELE405-100        |
| DFM12720B            | UltraCon®+ HWH 1/4 X 1-1/4  | Blue  | Hex Washer    | Carbon Steel | ELE405            |
| DFM12722             | UltraCon®+ HWH 1/4 X 1-3/4  | Blue  | Hex Washer    | Carbon Steel | ELE415-100        |
| DFM12722B            | UltraCon®+ HWH 1/4 X 1-3/4  | Blue  | Hex Washer    | Carbon Steel | ELE415            |
| DFM12724             | UltraCon®+ HWH 1/4 X 2-1/4  | Blue  | Hex Washer    | Carbon Steel | ELE425-100        |
| DFM12724B            | UltraCon®+ HWH 1/4 X 2-1/4  | Blue  | Hex Washer    | Carbon Steel | ELE425            |
| DFM12726             | UltraCon®+ HWH 1/4 X 2-3/4  | Blue  | Hex Washer    | Carbon Steel | ELE435-100        |
| DFM12726B            | UltraCon®+ HWH 1/4 X 2-3/4  | Blue  | Hex Washer    | Carbon Steel | ELE435            |
| DFM12728             | UltraCon®+ HWH 1/4 X 3-1/4  | Blue  | Hex Washer    | Carbon Steel | ELE445-100        |
| DFM12728B            | UltraCon®+ HWH 1/4 X 3-1/4  | Blue  | Hex Washer    | Carbon Steel | ELE445            |
| DFM12730             | UltraCon®+ HWH 1/4 X 3-3/4  | Blue  | Hex Washer    | Carbon Steel | ELE455-100        |
| DFM12730B            | UltraCon®+ HWH 1/4 X 3-3/4  | Blue  | Hex Washer    | Carbon Steel | ELE455            |
| DFM12732             | UltraCon®+ HWH 1/4 X 4      | Blue  | Hex Washer    | Carbon Steel | ELE465-100        |
| DFM12732B            | UltraCon®+ HWH 1/4 X 4      | Blue  | Hex Washer    | Carbon Steel | ELE465            |
| DFM12734             | UltraCon®+ HWH 1/4 X 5      | Blue  | Hex Washer    | Carbon Steel | ELE475-100        |
| DFM12735             | UltraCon®+ HWH 1/4 X 6      | Blue  | Hex Washer    | Carbon Steel | ELE485-100        |
| DFM12735B            | UltraCon®+ HWH 1/4 X 6      | Blue  | Hex Washer    | Carbon Steel | ELE485            |
| DFM12740             | UltraCon®+ PFH 3/16 X 1-1/4 | Blue  | Phillips Flat | Carbon Steel | ELF305-100        |
| DFM12740B            | UltraCon®+ PFH 3/16 X 1-1/4 | Blue  | Phillips Flat | Carbon Steel | ELF305            |
| DFM12742             | UltraCon®+ PFH 3/16 X 1-3/4 | Blue  | Phillips Flat | Carbon Steel | ELF315-100        |
| DFM12742B            | UltraCon®+ PFH 3/16 X 1-3/4 | Blue  | Phillips Flat | Carbon Steel | ELF315            |
| DFM12744             | UltraCon®+ PFH 3/16 X 2-1/4 | Blue  | Phillips Flat | Carbon Steel | ELF325-100        |
| DFM12744B            | UltraCon®+ PFH 3/16 X 2-1/4 | Blue  | Phillips Flat | Carbon Steel | ELF325            |
| DFM12746             | UltraCon®+ PFH 3/16 X 2-3/4 | Blue  | Phillips Flat | Carbon Steel | ELF335-100        |
| DFM12746B            | UltraCon®+ PFH 3/16 X 2-3/4 | Blue  | Phillips Flat | Carbon Steel | ELF335            |
| DFM12748             | UltraCon®+ PFH 3/16 X 3-1/4 | Blue  | Phillips Flat | Carbon Steel | ELF345-100        |
| DFM12748B            | UltraCon®+ PFH 3/16 X 3-1/4 | Blue  | Phillips Flat | Carbon Steel | ELF345            |
| DFM12750             | UltraCon®+ PFH 3/16 X 3-3/4 | Blue  | Phillips Flat | Carbon Steel | ELF355-100        |
| DFM12750B            | UltraCon®+ PFH 3/16 X 3-3/4 | Blue  | Phillips Flat | Carbon Steel | ELF355            |
| DFM12752             | UltraCon®+ PFH 3/16 X 4     | Blue  | Phillips Flat | Carbon Steel | ELF365-100        |
| DFM12752B            | UltraCon®+ PFH 3/16 X 4     | Blue  | Phillips Flat | Carbon Steel | ELF365            |
| DFM12760             | UltraCon®+ PFH 1/4 X 1-1/4  | Blue  | Phillips Flat | Carbon Steel | ELF400-100        |
| DFM12760B            | UltraCon®+ PFH 1/4 X 1-1/4  | Blue  | Phillips Flat | Carbon Steel | ELF400            |
| DFM12762             | UltraCon®+ PFH 1/4 X 1-3/4  | Blue  | Phillips Flat | Carbon Steel | ELF410-100        |
| DFM12762B            | UltraCon®+ PFH 1/4 X 1-3/4  | Blue  | Phillips Flat | Carbon Steel | ELF410            |
| DFM12764B            | UltraCon®+ PFH 1/4 X 2-1/4  | Blue  | Phillips Flat | Carbon Steel | ELF420            |
| DFM12766             | UltraCon®+ PFH 1/4 X 2-3/4  | Blue  | Phillips Flat | Carbon Steel | ELF430-100        |
| DFM12766B            | UltraCon®+ PFH 1/4 X 2-3/4  | Blue  | Phillips Flat | Carbon Steel | ELF430            |
| DFM12768             | UltraCon®+ PFH 1/4 X 3-1/4  | Blue  | Phillips Flat | Carbon Steel | ELF440-100        |
| DFM12768B            | UltraCon®+ PFH 1/4 X 3-1/4  | Blue  | Phillips Flat | Carbon Steel | ELF440            |
| DFM12770             | UltraCon®+ PFH 1/4 X 3-3/4  | Blue  | Phillips Flat | Carbon Steel | ELF450-100        |
| DFM12770B            | UltraCon®+ PFH 1/4 X 3-3/4  | Blue  | Phillips Flat | Carbon Steel | ELF450            |
| DFM12772             | UltraCon®+ PFH 1/4 X 4      | Blue  | Phillips Flat | Carbon Steel | ELF460-100        |
| DFM12772B            | UltraCon®+ PFH 1/4 X 4      | Blue  | Phillips Flat | Carbon Steel | ELF460            |
| DFM12774             | UltraCon®+ PFH 1/4 X 5      | Blue  | Phillips Flat | Carbon Steel | ELF470-100        |
| DFM12776             | UltraCon®+ PFH 1/4 X 6      | Blue  | Phillips Flat | Carbon Steel | ELF480            |

| DEWALT ULTRACON+ SKU | Description                  | Color  | Head Style            | Material     | ELCO ULTRACON SKU |
|----------------------|------------------------------|--------|-----------------------|--------------|-------------------|
| DFM2ELD385           | UltraCon®+ PFH 1/4 X 1-1/4   | White  | Phillips Flat         | Carbon Steel | ELD385            |
| DFM2ELD386           | UltraCon®+ PFH 1/4 X 1-3/4   | White  | Phillips Flat         | Carbon Steel | -                 |
| DFM2ELD387           | UltraCon®+ PFH 1/4 X 2-1/4   | White  | Phillips Flat         | Carbon Steel | -                 |
| DFM2ELD388           | UltraCon®+ PFH 1/4 X 2-3/4   | White  | Phillips Flat         | Carbon Steel | -                 |
| DFM2ELD389           | UltraCon®+ PFH 1/4 X 3-1/4   | White  | Phillips Flat         | Carbon Steel | -                 |
| DFM2ELD270           | UltraCon®+ HHF 1/4 X 1-1/4   | White  | Hex Flange            | Carbon Steel | -                 |
| DFM2ELD275           | UltraCon®+ HHF 1/4 X 1-3/4   | White  | Hex Flange            | Carbon Steel | ELD275            |
| DFM2ELD285           | UltraCon®+ HHF 1/4 X 2-1/4   | White  | Hex Flange            | Carbon Steel | ELD285            |
| DFM2ELD295           | UltraCon®+ HHF 1/4 X 2-3/4   | White  | Hex Flange            | Carbon Steel | ELD295            |
| DFM2ELD305           | UltraCon®+ HHF 1/4 X 3-1/4   | White  | Hex Flange            | Carbon Steel | ELD305            |
| DFM2ELD250           | UltraCon®+ HHWS 1/4 X 1-1/4  | White  | Hex Washer            | Carbon Steel | -                 |
| DFM2ELD195           | UltraCon®+ HHWS 1/4 X 1-3/4  | White  | Hex Washer            | Carbon Steel | ELD195            |
| DFM2ELD205           | UltraCon®+ HHWS 1/4 X 2-1/4  | White  | Hex Washer            | Carbon Steel | ELD205            |
| DFM2ELD215           | UltraCon®+ HHWS 1/4 X 2-3/4  | White  | Hex Washer            | Carbon Steel | ELD215            |
| DFM2ELD225           | UltraCon®+ HHWS 1/4 X 3-1/4  | White  | Hex Washer            | Carbon Steel | ELD225            |
| DFM2ELD235           | UltraCon®+ HHWS 1/4 X 3-3/4  | White  | Hex Washer            | Carbon Steel | ELD235            |
| DFM2ELD245           | UltraCon®+ HHWS 1/4 X 4      | White  | Hex Washer            | Carbon Steel | ELD245            |
| DFM2ELD255           | UltraCon®+ HHWS 1/4 X 5      | White  | Hex Washer            | Carbon Steel | ELD255            |
| DFM2ELD265           | UltraCon®+ HHWS 1/4 X 6      | White  | Hex Washer            | Carbon Steel | ELD265            |
| DFM2ELD200           | UltraCon®+ HHWS 3/16 X 1-1/4 | White  | Hex Washer            | Carbon Steel | -                 |
| DFM2ELD210           | UltraCon®+ HHWS 3/16 X 1-3/4 | White  | Hex Washer            | Carbon Steel | -                 |
| DFM2ELD220           | UltraCon®+ HHWS 3/16 X 2-1/4 | White  | Hex Washer            | Carbon Steel | -                 |
| DFM2ELD230           | UltraCon®+ HHWS 3/16 X 2-3/4 | White  | Hex Washer            | Carbon Steel | -                 |
| DFM2ELD240           | UltraCon®+ HHWS 3/16 X 3-1/4 | White  | Hex Washer            | Carbon Steel | -                 |
| DFM2ELD320           | UltraCon®+ PFH 3/16 X 1-1/4  | White  | Phillips Flat         | Carbon Steel | ELD320            |
| DFM2ELD330           | UltraCon®+ PFH 3/16 X 1-3/4  | White  | Phillips Flat         | Carbon Steel | ELD330            |
| DFM2ELD340           | UltraCon®+ PFH 3/16 X 2-1/4  | White  | Phillips Flat         | Carbon Steel | ELD340            |
| DFM2ELD350           | UltraCon®+ PFH 3/16 X 2-3/4  | White  | Phillips Flat         | Carbon Steel | ELD350            |
| DFM2ELD360           | UltraCon®+ PFH 3/16 X 3-1/4  | White  | Phillips Flat         | Carbon Steel | ELD360            |
| DFM2ELD370           | UltraCon®+ PFH 3/16 X 3-3/4  | White  | Phillips Flat         | Carbon Steel | ELD370            |
| DFM2ELD400           | UltraCon®+ PFHT 1/4 X 1-3/4  | White  | Phillips Trimfit      | Carbon Steel | ELD400            |
| DFM2ELD410           | UltraCon®+ PFHT 1/4 X 2-1/4  | White  | Phillips Trimfit      | Carbon Steel | ELD410            |
| DFM2ELD420           | UltraCon®+ PFHT 1/4 X 2-3/4  | White  | Phillips Trimfit      | Carbon Steel | ELD420            |
| DFM2ELD430           | UltraCon®+ PFHT 1/4 X 3-1/4  | White  | Phillips Trimfit      | Carbon Steel | ELD430            |
| DFM2ELD440           | UltraCon®+ PFHT 1/4 X 3-3/4  | White  | Phillips Trimfit      | Carbon Steel | ELD440            |
| DFM2ELD450           | UltraCon®+ PFHT 1/4 X 4      | White  | Phillips Trimfit      | Carbon Steel | ELD450            |
| DFM2ELC145           | UltraCon®+ HFH 1/4 X 1-3/4   | Silver | Hex Flange            | Carbon Steel | ELC145            |
| DFM2ELC151           | UltraCon®+ HFH 1/4 X 2-1/4   | Silver | Hex Flange            | Carbon Steel | ELC151            |
| DFM2ELC160           | UltraCon®+ HFH 1/4 X 2-3/4   | Silver | Hex Flange            | Carbon Steel | ELC160            |
| DFM2ELC170           | UltraCon®+ HHF 1/4" X 3-1/4" | Silver | Hex Flange            | Carbon Steel | ELC170            |
| DFM2ELG340           | UltraCon®+ HWHS 1/4 X 1-1/4  | Silver | Hex Washer            | Carbon Steel | -                 |
| DFM2ELG341           | UltraCon®+ HWHS 1/4 X 1-3/4  | Silver | Hex Washer            | Carbon Steel | ELG341            |
| DFM2ELG371           | UltraCon®+ HWHS 1/4 X 2-1/4  | Silver | Hex Washer            | Carbon Steel | ELG371            |
| DFM2ELG401           | UltraCon®+ HWHS 1/4 X 2-3/4  | Silver | Hex Washer            | Carbon Steel | ELG401            |
| DFM2ELG431           | UltraCon®+ HWHS 1/4 X 3-1/4  | Silver | Hex Washer            | Carbon Steel | ELG431            |
| DFM2ELG521           | UltraCon®+ PFH 3/16 X 1-1/4  | Silver | Phillips Flat         | Carbon Steel | ELG521            |
| DFM2ELG551           | UltraCon®+ PFH 3/16 X 1-3/4  | Silver | Phillips Flat         | Carbon Steel | ELG551            |
| DFM2ELG581           | UltraCon®+ PFH 3/16 X 2-1/4  | Silver | Phillips Flat         | Carbon Steel | ELG581            |
| DFM2ELG611           | UltraCon®+ PFH 3/16 X 2-3/4  | Silver | Phillips Flat         | Carbon Steel | ELG611            |
| DFM2ELG641           | UltraCon®+ PFH 3/16 X 3-1/4  | Silver | Phillips Flat         | Carbon Steel | ELG641            |
| DFM2ELG671           | UltraCon®+ PFH 3/16 X 3-3/4  | Silver | Phillips Flat         | Carbon Steel | ELG671            |
| DFM2ELG770           | UltraCon®+ PFHT 1/4 X 1-1/4  | Silver | Phillips Flat Trimfit | Carbon Steel | -                 |
| DFM2ELG771           | UltraCon®+ PFHT 1/4 X 1-3/4  | Silver | Phillips Flat Trimfit | Carbon Steel | ELG771            |
| DFM2ELG801           | UltraCon®+ PFHT 1/4 X 2-1/4  | Silver | Phillips Flat Trimfit | Carbon Steel | ELG801            |
| DFM2ELG831           | UltraCon®+ PFHT 1/4 X 2-3/4  | Silver | Phillips Flat Trimfit | Carbon Steel | ELG831            |
| DFM2ELG861           | UltraCon®+ PFHT 1/4 X 3-1/4  | Silver | Phillips Flat Trimfit | Carbon Steel | ELG861            |
| DFM2ELG891           | UltraCon®+ PFHT 1/4 X 3-3/4  | Silver | Phillips Flat Trimfit | Carbon Steel | ELG891            |
| DFM2ELG921           | UltraCon®+ PFHT 1/4 X 4      | Silver | Phillips Flat Trimfit | Carbon Steel | ELG921            |
| DFM2ELE465           | UltraCon®+ HHWS 1/4 X 4      | Bronze | Hex Washer            | Carbon Steel | ELE465BZ          |
| DFM2ELG612           | UltraCon®+ PFH 3/16 X 2-3/4  | Bronze | Phillips Flat Trimfit | Carbon Steel | ELG612            |
| DFM2ELG832           | UltraCon®+ PFHT 1/4 X 2-3/4  | Bronze | Phillips Flat Trimfit | Carbon Steel | ELG832-I          |
| DFM2ELG862           | UltraCon®+ PFHT 1/4 X 3-1/4  | Bronze | Phillips Flat Trimfit | Carbon Steel | ELG862-I          |
| DFM2ELG892           | UltraCon®+ PFHT 1/4 X 3-3/4  | Bronze | Phillips Flat Trimfit | Carbon Steel | ELG892            |