

 Product iQ will be unavailable on Saturday, April 13th from 8:00am to 1:00pm CST due to site maintenance. We apologize for any inconvenience.

UL Product iQ®



Note: In the process of enhancing our systems, we are transitioning data to a new PiQ data view. This data is being verified with the "Historical" view for accuracy. Once the data is confirmed, the "Historical" view will be discontinued. During this transition, you may encounter duplicate entries or missing/outdated data. For queries during this interim period, please visit our [Historical View FAQs](#) or contact our [Customer Service](#).

Hangers, Pipe Certified for Canada

COMPANY

DEWALT, Inc

701 East Joppa Rd
Towson, MD 21286 United States

EX1289

For Installation in Wood:

Model Designation	Hanger Type	Nominal		Comments
		Rod Size	Pipe Size	
PFM2251100	Self-Threading Anchor	3/8	Up to 4	Hangermate, for vertical installation into the bottom of a wood timber or joist. Min. 1-1/2 in. wood thickness
PFM2251150	Self-Threading Anchor	3/8	Up to 4	Hangermate, for vertical installation into the bottom of a wood timber or joist. Min. 1-1/2 in. wood thickness
PFM2251200	Self-Threading Anchor	3/8	Up to 4	Hangermate, for vertical installation into the bottom of a wood timber or joist. Min. 1-1/2 in. wood thickness
PFM2271000	Self-threading anchor	3/8	Up to 4	Suspender, Horizontal and Vertical Installation. Min. 1-1/2 in. wood thickness.

For Installation in Steel:

Model Designation	Hanger Type	Rod	Nominal	Comments
		Size, in.	Pipe Size	
PFM2231050	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.125 in. steel

PFM2231100	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
PFM223110N	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
PFM2231200	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.125 in. steel
PFM223120N	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
PFM2231150	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.125 in. steel
PFM223125N	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
PFM224115N	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
PFM224120N	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
PFM227110	Self-drilling anchor	3/8	Up to 4	SUSPENDER For horizontal and vertical installation. Min. 0.1046 in. (12 ga) steel
PFM227110N	Self-drilling anchor	3/8	Up to 4	Suspender, for horizontal and vertical installation. Min. 0.0598 in. (16 ga) steel
PFM227120	Self-drilling anchor	3/8	Up to 4	SUSPENDER For horizontal and vertical installation. Min. 0.1046 in. (12 ga) steel
PFM227120N	Self-drilling anchor	3/8	Up to 4	Suspender, for horizontal and vertical installation. Min. 0.0598 in. (16 ga) steel
PFM227130	Self-drilling anchor	3/8	Up to 4	SUSPENDER For horizontal and vertical installation. Min. 0.1046 in. (12 ga) steel
PFM227130N	Self-drilling anchor	3/8	Up to 4	Suspender, for horizontal and vertical installation. Min. 0.0598 in. (16 ga) steel

For Installation in Concrete:

Model Designation	Hanger Type	Rod Size, in.	Nominal Pipe Size	Comments
06206-PWR	Expansion Anchor	3/8	Up to 4	Dropin Type 303 Stainless Steel
06208-PWR	Expansion Anchor	1/2	Up to 8	Dropin Type 303 Stainless Steel
06210-PWR	Expansion Anchor	5/8	Up to 12	Dropin Type 303 Stainless Steel
06212-PWR	Expansion Anchor	3/4, 20 mm	Up to 12	Dropin Type 303 Stainless Steel
06226-PWR	Expansion Anchor	3/8	Up to 4	Dropin Type 316 Stainless Steel
06228-PWR	Expansion Anchor	1/2	Up to 8	Dropin Type 316 Stainless Steel
06230-PWR	Expansion Anchor	5/8	Up to 12	Dropin Type 316 Stainless Steel
06232-PWR	Expansion Anchor	3/4, 20 mm	Up to 12	Dropin Type 316 Stainless Steel

06306-PWR	Expansion Anchor	3/8	Up to 4	Dropin Carbon Steel
06308-PWR	Expansion Anchor	1/2	Up to 8	Dropin Carbon Steel
06320-PWR	Expansion Anchor	5/8	Up to 12	Dropin Carbon Steel
06312-PWR	Expansion Anchor	3/4, 20 mm	Up to 12	Dropin Carbon Steel
06326-PWR	Expansion Anchor	3/8	Up to 4	Dropin Carbon Steel - Lipped
06328-PWR	Expansion Anchor	1/2	Up to 8	Dropin Carbon Steel - Lipped
06342-PWR	Expansion Anchor	3/8	Up to 4	Dropin Carbon Steel - Knurled
06344-PWR	Expansion Anchor	1/2	Up to 8	Dropin Carbon Steel - Knurled
06981-PWR	Heavy Duty Sleeve Anchor	3/8	Up to 4	Power-Bolt – Flat Head
06982-PWR	Heavy Duty Sleeve Anchor	3/8	Up to 4	Power-Bolt – Flat Head
06983-PWR	Heavy Duty Sleeve Anchor	3/8	Up to 4	Power-Bolt – Flat Head
06984-PWR	Heavy Duty Sleeve Anchor	1/2	Up to 8	Power-Bolt – Flat Head
06987-PWR	Heavy Duty Sleeve Anchor	5/8	Up to 12	Power-Bolt – Flat Head
07310-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 304 Stainless Steel
07312-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 304 Stainless Steel
07313-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 304 Stainless Steel
07314-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 304 Stainless Steel
07315-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 304 Stainless Steel
07316-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 304 Stainless Steel
07320-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 304 Stainless Steel
07322-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 304 Stainless Steel
07323-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 304 Stainless Steel
07324-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 304 Stainless Steel
07326-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 304 Stainless Steel
07330-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 304 Stainless Steel
07332-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 304 Stainless Steel
07333-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 304 Stainless Steel
07334-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 304 Stainless Steel
07336-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 304 Stainless Steel
07338-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 304 Stainless Steel
07340-PWR	Wedge Expansion Anchor	3/4, 20mm	12	Power-Stud Type 304 Stainless Steel
07341-PWR	Wedge Expansion Anchor	3/4, 20mm	12	Power-Stud Type 304 Stainless Steel
07342-PWR	Wedge Expansion Anchor	3/4, 20mm	12	Power-Stud Type 304 Stainless Steel

07344-PWR	Wedge Expansion Anchor	3/4, 20mm	12	Power-Stud Type 304 Stainless Steel
07346-PWR	Wedge Expansion Anchor	3/4, 20mm	12	Power-Stud Type 304 Stainless Steel
07348-PWR	Wedge Expansion Anchor	3/4, 20mm	12	Power-Stud Type 304 Stainless Steel
07349-PWR	Wedge Expansion Anchor	3/4, 20mm	12	Power-Stud Type 304 Stainless Steel
07352-PWR	Wedge Expansion Anchor	7/8	12	Power-Stud Type 304 Stainless Steel
07610-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 316 Stainless Steel
07612-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 316 Stainless Steel
07613-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 316 Stainless Steel
07614-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 316 Stainless Steel
07615-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 316 Stainless Steel
07616-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 316 Stainless Steel
07620-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 316 Stainless Steel
07622-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 316 Stainless Steel
07623-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 316 Stainless Steel
07624-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 316 Stainless Steel
07626-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 316 Stainless Steel
07630-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 316 Stainless Steel
07632-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 316 Stainless Steel
07633-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 316 Stainless Steel
07634-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 316 Stainless Steel
07636-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 316 Stainless Steel
07638-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 316 Stainless Steel
07640-PWR	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 316 Stainless Steel
07641-PWR	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 316 Stainless Steel
07642-PWR	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 316 Stainless Steel
07644-PWR	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 316 Stainless Steel
07646-PWR	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 316 Stainless Steel
07648-PWR	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 316 Stainless Steel
09340-PWR	Expansion Anchor	3/8	Up to 4	Hollow Set
09350-PWR	Expansion Anchor	1/2	Up to 8	Hollow Set
09360-PWR	Expansion Anchor	5/8	Up to 12	Hollow Set
7413SD1-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD1
7414SD-PWR 1	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD1

7415SD1-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD1
7416SD-PWR 1	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD1
7417SD1-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD1
7422SD1-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud+ SD1
7423SD1-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud+ SD1
7424SD1-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud+ SD1
7426SD1-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud+ SD1
7427SD1-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud+ SD1
7428SD1-PWR	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud+ SD1
7433SD1-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD1
7434SD1-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD1
7436SD1-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD1
7438SD1-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD1
7439SD1-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD1
7413SD2-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD2
7414SD2-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD2
7415SD2-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD2
7416SD2-PWR	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD2
7435SD2-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD2
7433SD2-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD2
7434SD2-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD2
7436SD2-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD2
7438SD2-PWR	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD2
7442SD2-PWR	Wedge Expansion Anchor	3/4	Up to 12	Power-Stud+ SD2
7444SD2-PWR	Wedge Expansion Anchor	3/4	Up to 12	Power-Stud+ SD2
7446SD2-PWR	Wedge Expansion Anchor	3/4	Up to 12	Power-Stud+ SD2
7448SD2-PWR	Wedge Expansion Anchor	3/4	Up to 12	Power-Stud+ SD2
6306SD-PWR	Expansion Anchor	3/8	Up to 4	Smart DI
6308SD-PWR	Expansion Anchor	1/2	Up to 8	Smart DI

Cast-In-Place Concrete Insert Installation:

Model Designation	Hanger Type	Rod Size, in.	Nominal Pipe Size	Comments
--------------------------	--------------------	----------------------	--------------------------	-----------------

07542-PWR	Cast-In-Place Concrete Insert	3/8	Up to 4	Bang-It+ (Also suitable for use in air-handling spaces).
07543-PWR	Cast-In-Place Concrete Insert	3/8 1/2	Up to 4 Up to 8	Bang-It+ (Also suitable for use in air-handling spaces).
07544-PWR	Cast-In-Place Concrete Insert	1/2	Up to 8	Bang-It+ (Also suitable for use in air-handling spaces).
07546-PWR	Cast-In-Place Concrete Insert	5/8	Up to 8	Bang-It+ (Also suitable for use in air-handling spaces)
07548-PWR	Cast-In-Place Concrete Insert	3/4	Up to 8	Bang-It+ (Also suitable for use in air-handling spaces)
PFM3521438	Cast-In-Place Concrete Insert	3/8	Up to 4	Bang-It+ (Also suitable for use in air-handling spaces)
PFM3525834	Cast-In-Place Concrete Insert	5/8 3/4	Up to 10 Up to 10	Bang-It+ (Also suitable for use in air-handling spaces)
PFM353143812	Cast-In-Place Concrete Insert	3/8 1/2	Up to 4 Up to 8	Bang-It+ (Also suitable for use in air-handling spaces)
PFM353381258	Cast-In-Place Concrete Insert	3/8 1/2 5/8	Up to 4 Up to 8 Up to 10	Bang-It+ (Also suitable for use in air-handling spaces)
PFM2521150	Cast-In-Place Concrete Insert	3/8	Up to 4	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
PFM2521150NN	Cast-In-Place Concrete Insert	3/8	Up to 4	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
PFM2521200	Cast-In-Place Concrete Insert	1/2	Up to 8	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
PFM2521200NN	Cast-In-Place Concrete Insert	1/2	Up to 8	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
PFM2521250	Cast-In-Place Concrete Insert	5/8	Up to 8	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
PFM2521250NN	Cast-In-Place Concrete Insert	5/8	Up to 8	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
PFM2521300	Cast-In-Place Concrete Insert	3/4	Up to 8	Wood-Knocker II+ (Also suitable for use in air-handling spaces).

PFM2521300NN	Cast-In-Place Concrete Insert	3/4	Up to 8	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
Double Thread Wood Form Products				
PFM2521350	Cast-In-Place Concrete Insert	3/8 1/2	Up to 4 Up to 8	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
PFM2521438	Cast-In-Place Concrete Insert	3/8	Up to 4	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
PFM2525834	Cast-In-Place Concrete Insert	5/8 3/4	Up to 12 Up to 12	Wood-Knocker II + (Also suitable for use in air-handling spaces).
PFM2521438NN	Cast-In-Place Concrete Insert	3/8	Up to 4	Pan-Knocker II+(Also suitable for use in air-handling spaces).
PFM2521350NN	Cast-In-Place Concrete Insert	3/8 1/2	Up to 4 Up to 8	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
PFM2525834NN	Cast-In-Place Concrete Insert	5/8 3/4	Up to 12 Up to 12	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
Triple Thread Wood Form Products				
PFM253143812	Cast-In-Place Concrete Insert	3/8 1/2	Up to 4 Up to 8	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
PFM253381258	Cast-In-Place Concrete Insert	3/8 1/2 5/8	Up to 4 Up to 8 Up to 12	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
PFM253143812NN	Cast-In-Place Concrete Insert	3/8 1/2	Up to 4 Up to 8	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
PFM253381258NN	Cast-In-Place Concrete Insert	3/8 1/2 5/8	Up to 4 Up to 8 Up to 12	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
Low Profile Wood Form Products				
PFM2500038	Cast-In-Place Concrete Insert	3/8	Up to 4	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
PFM2501438	Cast-In-Place Concrete Insert	3/8	Up to 4	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
PFM2500038NN	Cast-In-Place Concrete Insert	3/8	Up to 4	Pan-Knocker II+ (Also suitable for use in air-handling spaces).

PFM2501438NN	Cast-In-Place Concrete Insert	3/8	Up to 4	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
Push-In Wood Form Products				
For Installation in Concrete				
PFM2610038	Cast-In-Place Concrete Insert	3/8	Up to 4	Wood-Knocker II+ Push-In(Also suitable for use in air-handling spaces).
PFM2610012	Cast-In-Place Concrete Insert	1/2	Up to 8	Wood-Knocker II+ Push-In (Also suitable for use in air-handling spaces).
PFM2610038NN	Cast-In-Place Concrete Insert	3/8	Up to 4	Wood-Knocker II+ Push-In (Also suitable for use in air-handling spaces).
PFM2610012NN	Cast-In-Place Concrete Insert	1/2	Up to 8	Wood-Knocker II+ Push-In (Also suitable for use in air-handling spaces).
Push-In in Metal Decking				
PFM3610038	Cast-In-Place Concrete Insert	3/8	Up to 4	Bang It+ Push-In (Also suitable for use in air-handling spaces).
PFM3610012	Cast-In-Place Concrete Insert	1/2	Up to 8	Bang It+ Push-In (Also suitable for use in air-handling spaces).
DDI+ for Metal Decking				
PFM2511100	Concrete Insert	3/8	4	DDI+ Intended for use in concrete, minimum compressive strength of 2800 psi. Limited to a 45 degree installation orientation of metal strip on metal deck.
PFM2511110	Concrete Insert	1/2	8	DDI+ Intended for use in concrete, minimum compressive strength of 2800 psi. Limited to a 45 degree installation orientation of metal strip on metal deck.
PFM2511120	Concrete Insert	5/8	12	DDI+ Intended for use in concrete, minimum compressive strength of 2800 psi. Limited to a 45 degree installation orientation of metal strip on metal deck.
PFM2511130	Concrete Insert	3/4	12	DDI+ Intended for use in concrete, minimum compressive strength of 2800 psi. Limited to a 45 degree installation orientation of metal strip on metal deck.
PFM2511140	Concrete Insert	7/8	12	DDI+ Intended for use in concrete, minimum compressive strength of 2800 psi. Limited to a 45 degree installation orientation of metal strip on metal deck.

* NPS = Nominal pipe size

Trademark and/or Tradename: , *Suspender®*, *Hangermate®*, *Hangermate®+*

Last Updated on 2022-03-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."