

**i** Product iQ will be unavailable on Saturday, April 13th from 8:00am to 1:00pm CST due to site maintenance. We apologize for any inconvenience.

UL Product iQ®



Note: In the process of enhancing our systems, we are transitioning data to a new PiQ data view. This data is being verified with the "Historical" view for accuracy. Once the data is confirmed, the "Historical" view will be discontinued. During this transition, you may encounter duplicate entries or missing/outdated data. For queries during this interim period, please visit our [Historical View FAQs](#) or contact our [Customer Service](#).

## Hangers, Pipe

### COMPANY

#### DEWALT, Inc

701 East Joppa Rd  
Towson, MD 21286 United States

EX1289

#### For Installation in Wood:

Model Designation	Hanger Type	Nominal		Comments
		Rod Size	Pipe Size	
<b>PFM2251100</b>	Self-Threading Anchor	3/8	Up to 4	Hangermate, for vertical installation into the bottom of a wood timber or joist. Min. 1-1/2 in. wood thickness
<b>PFM2251150</b>	Self-Threading Anchor	3/8	Up to 4	Hangermate, for vertical installation into the bottom of a wood timber or joist. Min. 1-1/2 in. wood thickness
<b>PFM2251200</b>	Self-Threading Anchor	3/8	Up to 4	Hangermate, for vertical installation into the bottom of a wood timber or joist. Min. 1-1/2 in. wood thickness
<b>PFM2271000</b>	Self-threading anchor	3/8	Up to 4	Suspender, Horizontal and Vertical Installation. Min. 1-1/2 in. wood thickness.

#### For Installation in Steel:

Model Designation	Hanger Type	Rod	Nominal	Comments
		Size, in.	Pipe Size	
<b>PFM2231050</b>	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.125 in. steel

<b>PFM2231100</b>	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
<b>PFM223110N</b>	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
<b>PFM2231200</b>	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.125 in. steel
<b>PFM223120N</b>	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
<b>PFM2231150</b>	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.125 in. steel
<b>PFM223125N</b>	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
<b>PFM2231250</b>	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.125 in. steel
<b>PFM2231300</b>	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.125 in. steel
<b>PFM224110N</b>	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
<b>PFM224115N</b>	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
<b>PFM224120N</b>	Self-drilling anchor	3/8	Up to 4	Hangermate, for horizontal and vertical installation. Min. 0.060 in. steel
<b>PFM227110</b>	Self-drilling anchor	3/8	Up to 4	SUSPENDER For horizontal and vertical installation. Min. 0.1046 in. (12 ga) steel
<b>PFM227110N</b>	Self-drilling anchor	3/8	Up to 4	Suspender, for horizontal and vertical installation. Min. 0.0598 in. (16 ga) steel
<b>PFM227120</b>	Self-drilling anchor	3/8	Up to 4	SUSPENDER For horizontal and vertical installation. Min. 0.1046 in. (12 ga) steel
<b>PFM227120N</b>	Self-drilling anchor	3/8	Up to 4	Suspender, for horizontal and vertical installation. Min. 0.1046 in. (12 ga) steel
<b>PFM227130</b>	Self-drilling anchor	3/8	Up to 4	SUSPENDER For horizontal and vertical installation. Min. 0.1046 in. (12 ga) steel
<b>PFM227130N</b>	Self-drilling anchor	3/8	Up to 4	Suspender, for horizontal and vertical installation. Min. 0.0598 in. (16 ga) steel

**For Installation in Concrete:**

<b>Model Designation</b>	<b>Hanger Type</b>	<b>Rod Size, in.</b>	<b>Nominal Pipe Size</b>	<b>Comments</b>
<b>06206-PWR</b>	Expansion Anchor	3/8	Up to 4	Dropin Type 303 Stainless Steel
<b>06208-PWR</b>	Expansion Anchor	1/2	Up to 8	Dropin Type 303 Stainless Steel
<b>06210-PWR</b>	Expansion Anchor	5/8	Up to 12	Dropin Type 303 Stainless Steel
<b>06212-PWR</b>	Expansion Anchor	3/4, 20 mm	Up to 12	Dropin Type 303 Stainless Steel

<b>06226-PWR</b>	Expansion Anchor	3/8	Up to 4	Dropin Type 316 Stainless Steel
<b>06228-PWR</b>	Expansion Anchor	1/2	Up to 8	Dropin Type 316 Stainless Steel
<b>06230-PWR</b>	Expansion Anchor	5/8	Up to 12	Dropin Type 316 Stainless Steel
<b>06232-PWR</b>	Expansion Anchor	3/4, 20 mm	Up to 12	Dropin Type 316 Stainless Steel
<b>06306-PWR</b>	Expansion Anchor	3/8	Up to 4	Dropin Carbon Steel
<b>06308-PWR</b>	Expansion Anchor	1/2	Up to 8	Dropin Carbon Steel
<b>06320-PWR</b>	Expansion Anchor	5/8	Up to 12	Dropin Carbon Steel
<b>06312-PWR</b>	Expansion Anchor	3/4, 20 mm	Up to 12	Dropin Carbon Steel
<b>06326-PWR</b>	Expansion Anchor	3/8	Up to 4	Dropin Carbon Steel - Lipped
<b>06328-PWR</b>	Expansion Anchor	1/2	Up to 8	Dropin Carbon Steel - Lipped
<b>06342-PWR</b>	Expansion Anchor	3/8	Up to 4	Dropin Carbon Steel - Knurled
<b>06344-PWR</b>	Expansion Anchor	1/2	Up to, 8	Dropin Carbon Steel - Knurled
<b>06981-PWR</b>	Heavy Duty Sleeve Anchor	3/8	Up to 4	Power-Bolt – Flat Head
<b>06982-PWR</b>	Heavy Duty Sleeve Anchor	3/8	Up to 4	Power-Bolt – Flat Head
<b>06983-PWR</b>	Heavy Duty Sleeve Anchor	3/8	Up to 4	Power-Bolt – Flat Head
<b>06984-PWR</b>	Heavy Duty Sleeve Anchor	1/2	Up to 8	Power-Bolt – Flat Head
<b>06987-PWR</b>	Heavy Duty Sleeve Anchor	5/8	Up to 12	Power-Bolt – Flat Head
<b>07310-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 304 Stainless Steel
<b>07312-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 304 Stainless Steel
<b>07313-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 304 Stainless Steel
<b>07314-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 304 Stainless Steel
<b>07315-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 304 Stainless Steel
<b>07316-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 304 Stainless Steel
<b>07320-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 304 Stainless Steel
<b>07322-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 304 Stainless Steel
<b>07323-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 304 Stainless Steel
<b>07324-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 304 Stainless Steel
<b>07326-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 304 Stainless Steel
<b>07330-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07332-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07333-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07334-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07336-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 304 Stainless Steel

<b>07338-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07340-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07341-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07342-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07344-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07346-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07348-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07349-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07352-PWR</b>	Wedge Expansion Anchor	7/8	Up to 12	Power-Stud Type 304 Stainless Steel
<b>07610-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 316 Stainless Steel
<b>07612-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 316 Stainless Steel
<b>07613-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 316 Stainless Steel
<b>07614-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 316 Stainless Steel
<b>07615-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 316 Stainless Steel
<b>07616-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud Type 316 Stainless Steel
<b>07620-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 316 Stainless Steel
<b>07622-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 316 Stainless Steel
<b>07623-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 316 Stainless Steel
<b>07624-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud Type 316 Stainless Steel
<b>07626-PWR</b>	Wedge Expansion Anchor	1/2	Up to, 8	Power-Stud Type 316 Stainless Steel
<b>07630-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 316 Stainless Steel
<b>07632-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 316 Stainless Steel
<b>07633-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 316 Stainless Steel
<b>07634-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 316 Stainless Steel
<b>07636-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 316 Stainless Steel
<b>07638-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud Type 316 Stainless Steel
<b>07640-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 316 Stainless Steel
<b>07641-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 316 Stainless Steel
<b>07642-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 316 Stainless Steel
<b>07644-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 316 Stainless Steel
<b>07646-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 316 Stainless Steel
<b>07648-PWR</b>	Wedge Expansion Anchor	3/4, 20mm	Up to 12	Power-Stud Type 316 Stainless Steel
<b>09340-PWR</b>	Expansion Anchor	3/8	Up to 4	Hollow Set

<b>09350-PWR</b>	Expansion Anchor	1/2	Up to 8	Hollow Set
<b>09360-PWR</b>	Expansion Anchor	5/8	Up to 12	Hollow Set
<b>7413SD1-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD1
<b>7414SD1-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD1
<b>7415SD1-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD1
<b>7416SD1-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD1
<b>7417SD1-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD1
<b>7422SD1-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud+ SD1
<b>7423SD1-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud+ SD1
<b>7424SD1-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud+ SD1
<b>7426SD1-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud+ SD1
<b>7427SD1-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud+ SD1
<b>7428SD1-PWR</b>	Wedge Expansion Anchor	1/2	Up to 8	Power-Stud+ SD1
<b>7433SD1-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD1
<b>7434SD1-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD1
<b>7436SD1-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD1
<b>7438SD1-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD1
<b>7439SD1-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD1
<b>7413SD2-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD2
<b>7414SD2-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD2
<b>7415SD2-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD2
<b>7416SD2-PWR</b>	Wedge Expansion Anchor	3/8	Up to 4	Power-Stud+ SD2
<b>7435SD2-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD2
<b>7433SD2-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD2
<b>7434SD2-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD2
<b>7436SD2-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD2
<b>7438SD2-PWR</b>	Wedge Expansion Anchor	5/8	Up to 12	Power-Stud+ SD2
<b>7442SD2-PWR</b>	Wedge Expansion Anchor	3/4	Up to 12	Power-Stud+ SD2
<b>7444SD2-PWR</b>	Wedge Expansion Anchor	3/4	Up to 12	Power-Stud+ SD2
<b>7446SD2-PWR</b>	Wedge Expansion Anchor	3/4	Up to 12	Power-Stud+ SD2
<b>7448SD2-PWR</b>	Wedge Expansion Anchor	3/4	Up to 12	Power-Stud+ SD2
<b>6306SD -PWR</b>	Expansion Anchor	3/8	Up to 4	Smart DI
<b>6308SD-PWR</b>	Expansion Anchor	1/2	Up to 8	Smart DI

## Cast-In-Place Concrete Inserts:

Model Designation	Hanger Type	Rod Size, in.	Nominal Pipe Size	Comments
<b>07542-PWR</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Bang-It+ (Also suitable for use in air-handling spaces).
<b>07543-PWR</b>	Cast-In-Place Concrete Insert	3/8 1/2	Up to 4 Up to 8	Bang-It+ (Also suitable for use in air-handling spaces).
<b>07544-PWR</b>	Cast-In-Place Concrete Insert	1/2	Up to 8	Bang-It+ (Also suitable for use in air-handling spaces).
<b>07546-PWR</b>	Cast-In-Place Concrete Insert	5/8	Up to 8	Bang-It+ (Also suitable for use in air-handling spaces)
<b>07548-PWR</b>	Cast-In-Place Concrete Insert	3/4	Up to 8	Bang-It+ (Also suitable for use in air-handling spaces)
<b>PFM3521438</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Bang-It+ (Also suitable for use in air-handling spaces)
<b>PFM3525834</b>	Cast-In-Place Concrete Insert	5/8 3/4	Up to 10 Up to 10	Bang-It+ (Also suitable for use in air-handling spaces)
<b>PFM353143812</b>	Cast-In-Place Concrete Insert	3/8 1/2	Up to 4 Up to 8	Bang-It+ (Also suitable for use in air-handling spaces)
<b>PFM353381258</b>	Cast-In-Place Concrete Insert	3/8 1/2 5/8	Up to 4 Up to 8 Up to 10	Bang-It+ (Also suitable for use in air-handling spaces)
<b>PFM2521150</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM2521150NN</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM2521200</b>	Cast-In-Place Concrete Insert	1/2	Up to 8	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM2521200NN</b>	Cast-In-Place Concrete Insert	1/2	Up to 8	Pan-Knocker II+ (Also suitable for use in air-handling spaces).

<b>PFM2521250</b>	Cast-In-Place Concrete Insert	5/8	Up to 8	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM2521250NN</b>	Cast-In-Place Concrete Insert	5/8	Up to 8	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM2521300</b>	Cast-In-Place Concrete Insert	3/4	Up to 8	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM2521300NN</b>	Cast-In-Place Concrete Insert	3/4	Up to 8	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
<b>Double Thread Wood Form Products</b>				
<b>PFM2521350</b>	Cast-In-Place Concrete Insert	3/8 1/2	Up to 4 Up to 8	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM2521438</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM2525834</b>	Cast-In-Place Concrete Insert	5/8 3/4	Up to 12 Up to 12	Wood-Knocker II + (Also suitable for use in air-handling spaces).
<b>PFM2521438NN</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Pan-Knocker II+(Also suitable for use in air-handling spaces).
<b>PFM2521350NN</b>	Cast-In-Place Concrete Insert	3/8 1/2	Up to 4 Up to 8	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM2525834NN</b>	Cast-In-Place Concrete Insert	5/8 3/4	Up to 12 Up to 12	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
<b>Triple Thread Wood Form Products</b>				
<b>PFM253143812</b>	Cast-In-Place Concrete Insert	3/8 1/2	Up to 4 Up to 8	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM253381258</b>	Cast-In-Place Concrete Insert	3/8 1/2 5/8	Up to 4 Up to 8 Up to 12	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM253143812NN</b>	Cast-In-Place Concrete Insert	3/8 1/2	Up to 4 Up to 8	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM253381258NN</b>	Cast-In-Place Concrete Insert	3/8 1/2 5/8	Up to 4 Up to 8 Up to 12	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
<b>Low Profile Wood Form Products</b>				

<b>PFM2500038</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM2501438</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Wood-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM2500038NN</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
<b>PFM2501438NN</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Pan-Knocker II+ (Also suitable for use in air-handling spaces).
<b>Push-In Wood Form Products</b>				
<b>For Installation in Concrete</b>				
<b>PFM2610038</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Wood-Knocker II+ Push-In(Also suitable for use in air-handling spaces).
<b>PFM2610012</b>	Cast-In-Place Concrete Insert	1/2	Up to 8	Wood-Knocker II+ Push-In (Also suitable for use in air-handling spaces).
<b>PFM2610038NN</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Wood-Knocker II+ Push-In (Also suitable for use in air-handling spaces).
<b>PFM2610012NN</b>	Cast-In-Place Concrete Insert	1/2	Up to 8	Wood-Knocker II+ Push-In (Also suitable for use in air-handling spaces).
<b>Push-In in Metal Decking</b>				
<b>PFM3610038</b>	Cast-In-Place Concrete Insert	3/8	Up to 4	Bang It+ Push-In (Also suitable for use in air-handling spaces).
<b>PFM3610012</b>	Cast-In-Place Concrete Insert	1/2	Up to 8	Bang It+ Push-In (Also suitable for use in air-handling spaces).
<b>DDI+ for Metal Decking</b>				
<b>PFM2511100</b>	Concrete Insert	3/8	Up to 4	DDI+ Intended for use in concrete, minimum compressive strength of 2800 psi. Limited to a 45 degree installation orientation of metal strip on metal deck.
<b>PFM2511110</b>	Concrete Insert	1/2	Up to 8	DDI+ Intended for use in concrete, minimum compressive strength of 2800 psi. Limited to a 45 degree installation orientation of metal strip on metal deck.
<b>PFM2511120</b>	Concrete Insert	5/8	Up to 12	DDI+ Intended for use in concrete, minimum compressive strength of 2800 psi. Limited to a 45 degree installation orientation of metal strip on metal deck.



<b>PFM2511130</b>	Concrete Insert	3/4	Up to 12	DDI+ Intended for use in concrete, minimum compressive strength of 2800 psi. Limited to a 45 degree installation orientation of metal strip on metal deck.
<b>PFM2511140</b>	Concrete Insert	7/8	Up to 12	DDI+ Intended for use in concrete, minimum compressive strength of 2800 psi. Limited to a 45 degree installation orientation of metal strip on metal deck.

\* NPS = Nominal pipe size

Trademark and/or Tradename: *Suspender®*, *Hangermate®*, *Hangermate®+*

Last Updated on 2022-03-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."